


MARCH 1985



# LOCOMOTIVE DATA

SOUTHERN PACIFIC TRANSPORTATION COMPANY  
ST. LOUIS SOUTHWESTERN RAILWAY

17

## CLASSIFICATION

## EXPLANATION OF SYMBOLS

E F 6 30 M C O1

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

: : : : : :

DENOTES ORDER OF PURCHASE FOR UNITS OF SAME CLASSIFICATION:

K = MORRISON-KNUDSON REBUILT.

N = CANADIAN NATIONAL REBUILT.

R = REHABILITATION UNDER GRIP.

DENOTES OWNERSHIP IF OTHER THAN SPT CO.:

C = SSW OWNERSHIP.

E = SP EQUIPMENT CO. OWNED, LEASED TO SPT CO.

L = OTHER OWNER, LEASED TO SP.

S = SP EQUIPMENT CO. OWNED, LEASED TO SSW RY.

W = OTHER OWNER, LEASED TO SSW.

DENOTES SPECIAL FEATURES:

B = BOOSTER UNIT, M = LDCOTRDL MASTER, R = LOCOTRDL REMOTE,

T = EQUIPPED FOR TRACTIVE EFFORT BOOSTER UNIT

DENOTES HORSE POWER IN 100'S: 00=NOT POWERED, 18=1750-1800HP, ETC.

DENOTES NUMBER OF AXLES.

DENOTES SERVICE ASSIGNMENT: F=FREIGHT, P=PASSENGER, S=SWITCHER.

DENOTES BUILDER: A=ALCO, E=EMO, G=GE, S=SULZER

## DYNAMIC BRAKES:

SF=STANDARD RANGE - FLAT

EF=EXTENDED RANGE - FLAT

ST=STANDARD RANGE - TAPERED

ET=EXTENDED RANGE - TAPERED

## SUMMARY OF LOCOMOTIVES

ROAD	MODEL	BUILDER	QUANTITIES			AGE
			SP	SSW	TOT	
	GP20	EMO	19	8	27	YR MO
	GP20	EMD/SPE	9	9	18	10 1
	GP30	EMO	7	7	14	09 6
	GP35	EMO	136	19	155	22 0
	GP38-2	EMO	45		45	14 1
	GP40	EMO		8	8	04 9
	GP40-2	EMO	66	54	120	02 11
	GP40X	EMO	4		4	04 2
	GP9	EMO	49	4	53	07 0
	GP9	EMD/SPE	212	7	219	13 5
	SD39	EMO	19		19	11 2
	SD40	EMO	86		86	15 9
	SD40-2	EMO	228	10	238	04 2
	SD44	EMO	1		1	06 1
	SD45	EMO	235	20	255	03 5
	SD45-2	EMO	208	83	291	11 6
	SD9	EMO	22		22	09 11
	SD9	EMO/SPE	117		117	07 2
	B23-7	GE	15		15	12 2
	B30-7	GE	82	29	111	04 9
	B30B7	GE		1	1	05 10
	B36-7	GE	16		16	05 1
	TEBU	GE	14		14	00 3
	U33C	GE	155		155	04 9
	TE70-4	SPT	4		4	12 11

## TOTAL ROAD UNITS 2008

AVERAGE AGE ALL ROAD UNITS 9 YRS 7 MOS

PSGR	TOTAL PSGR UNITS 2008			AVERAGE AGE ALL PSGR UNITS 12 YRS 2 MOS		
GP40P2	EMO	3		3	10	4
GP9	EMO	9		9	07	1
GP9	EMD/SPE	2		2	10	0
SDP45	EMO	10		10	17	8

## TOTAL PSGR UNITS 24

AVERAGE AGE ALL PSGR UNITS 12 YRS 2 MOS

YARD	TOTAL PSGR UNITS 24			AVERAGE AGE ALL PSGR UNITS 12 YRS 2 MOS		
GP9	EMO	1		1	25	11
GP9	EMD/SPE	3		3	10	9
MP15	EMO	12		12	10	2
MP15AC	EMO	57		57	09	6
NW2	EMO/SPE	35		35	13	2

## SUMMARY OF LOCOMOTIVES

YARD	MODEL	BUILDER	QUANTITIES			AGE
			SP	SSW	TOT	
	SD35	EMD	13		13	11 0
	SD35	EMD/SPE	4		4	09 3
	SD38	EMD	6		6	11 10
	SD7	EMD	43		43	05 2
	SLUG	EMD	4		4	05 8
	SW1200	EMD	25	16	41	20 0
	SW1200	EMD/SPE	11		11	11 0
	SW1500	EMD	202	36	238	14 8
	SW7	EMD/SPE	3		3	12 3
	SW9	EMD/SPE	9		9	11 8
	SW900	EMD/SPE	9		9	10 4
	U25B	GE/SPE	1		1	09 6

TOTAL YARD UNITS 490

AVERAGE AGE ALL YARD UNITS 12 YRS 11 MOS

TOTAL SP-SSW UNITS 2522

AVERAGE AGE ALL UNITS 10 YRS 3 MOS

\* \* \* \* \*

YARD

SW1

EMD/PRTD

YR MD

2 32 6

TOTAL OTHER UNITS 2

AVERAGE AGE ALL UNITS 32 YRS 6 MOS

\* \* \* \* \*

PAGE IV  
LOCOTROL:

MASTER UNITS

SP	7200-7201	GP40X	EF435-01
SP	8300-8306	S040-2	EF630-03
SP	8307-8321	S040-2	EF630-06
SP	8327-8341	S040-2	EF630-09
SSW	8322-8328	S040-2	EF630C-01

REMOTE UNITS

SP	7230-7231	GP40X	EF435-02
SP	8350-8358	SD40-2	EF630-04
SP	8357-8371	SD40-2	EF630-07
SP	8377-8391	SD40-2	EF630-10
SSW	8372-8378	SD40-2	EF630C-02

AIR CONDITIONED UNITS:

	SERIES	MODEL	CLASS	QTY
GE				
SP	5100-5114	823-7	GF423-01	15
SP	7754-7769	838-7	GF437L-02	16
SSW	7770-7773	836-7	GF437-01	3
SSW	7774-7799	830-7	GF430C-01	26
SP	7801-7823	830-7	GF430-02	21
SP	7824-7883	830-7	GF430-03	60
SP	8585-8599	U33C	GF633-10	12
SP	8788-8796	U33C	GF633-09	10
GE A/C SUBTOTAL	-----			183

\* AIR CONDITIONED UNITS (CONT.)

	SERIES	MODEL	CLASS	QTY
EMD				
SP	3197-3199	GP40P2	EP430-01	3
SP	4800-4844	GP38-2	EF420-03	45
SP	7200-7201	GP40X	EF435-01	2
SP	7230-7231	GP40X	EF435-02	2
SP	7240-7247	GP40-2	EF430L-04	8
SSW	7248-7273	GP40-2	EF430W-04	28
SP	7608-7627	GP40-2	EF430-01	19
SSW	7628-7657	GP40-2	EF430C-02	29
SP	7658-7677	GP40-2	EF430-03	20
SP	7940-7959	GP40-2	EF430-02	19
SP	8230-8299	SD40-2	EF630-11	70
SP	8300-8306	SD40-2	EF630-03	6
SP	8307-8321	SD40-2	EF630-06	15
SSW	8322-8328	SD40-2	EF630C-01	5
SP	8327-8341	SD40-2	EF630-09	15
SP	8350-8358	SD40-2	EF630-04	7
SP	8357-8371	SD40-2	EF630-07	15
SSW	8372-8378	S040-2	EF630C-02	5
SP	8377-8391	SD40-2	EF630-10	15
SP	8489-8498	SD40-2	EF630-05	10
SP	8499-8573	SD40-2	EF630-08	75
SP	9315-9343	SD45-2	EF636-12	29
SP	9344-9370	SD45-2	EF638-15	26
SSW	9371-9404	SD45-2	EF638C-09	33
EMD A/C SUBTOTAL	-----			499
TOTAL UNITS WITH AIR CONDITIONERS				662

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
1010-1013	ES400 G1	SLUG	79	262	0000	2.0	6BLC		4
1191-1197	ES409 E01	SW900	74	237	0600	7.2	6BL		7
1198-1199	ES409 E01	SW900	74	233	0600	7.2	6BL		2
1300-1302, 1304-1314	ES410 E01	NW2	71	247	0600	9.5	6BL		14
1316-1319	ES410 E01	NW2	71	247	0600	9.5	6BL		4
1320-1329, 1331-1337	ES410 E02	NW2	72	247	0600	9.5	6BL		17
1500-1504	ES615 R1	SD7	79	329	1200	6.0	24RL	ST	5
1505	ES615 R1	SD7	79	328	1200	6.0	24RL	ST	1
1506	ES615 R1	SD7	79	329	1200	6.0	24RL	ST	1
1507-1508	ES615 R1	SD7	79	328	1200	6.0	24RL	ST	2
1509-1510	ES615 R1	SD7	79	329	1200	6.0	24RL	ST	2
1511	ES615 R1	SD7	79	328	1200	6.0	24RL	ST	1
1512	ES615 R1	SD7	80	328	1200	6.0	24RL	ST	1
1513-1517	ES615 R1	SD7	80	329	1200	6.0	24RL	ST	5
1518	ES615 R1	SD7	80	330	1200	6.0	24RL	ST	1
1519-1523	ES615 R1	SD7	80	329	1200	6.0	24RL	ST	5

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	OYN BRK	NO. UNITS
1524	ES615 R1	SD7	80	330	1200	6.0	24RL	ST	1
1525	ES615 R1	SD7	80	359	1200	6.0	24RL	ST	1
1526-1528	ES615 R1	SD7	80	330	1200	6.0	24RL	ST	3
1529	ES615 R1	SD7	80	329	1200	6.0	24RL	ST	1
1530-1541	ES615 R1	SD7	80	330	1200	6.0	24RL		12
1542	ES615 R1	SD7	80	329	1200	6.0	24RL		1
1600	GF400 LK1	TEBU	80	280	3300	7.0	26L	EF	1
1601-1609	GF400 R1	TEBU	81	275	3300	7.0	26L	EF	9
1610-1612	GF400 R1	TEBU	82	271	2900	7.0	26L	EF	3
1613	GF400 R1	TEBU	64	275	3300	7.0	26L	EF	1
2250-2257	ES412 C03	SW1200	64	249	0600	10.0	26L		8
2258-2259	ES412 C04	SW1200	64	247	0600	10.0	26L		2
2260-2261	ES412 C04	SW1200	65	247	0600	10.0	26L		2
2262-2264, 2266	ES412 04	SW1200	64	249	0930	10.0	26L		4
2267-2271	ES412 04	SW1200	65	249	0930	10.0	26L		5
2272-2276	ES412 L05	SW1200	65	249	0930	10.0	26L		5



UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
2277-2278, 2280-2288	ES412 05	SW1200	65	249	0930	10.0	26L		11
2289-2290, 2292-2293	ES412 C05	SW1200	66	246	0900	10.0	26L		4
2294-2295	ES412 E01	SW7	72	243	0600	10.0	68L		2
2296	ES412 E01	SW7	73	243	0600	10.0	68L		1
2297-2299	ES412 E01	SW9	73	243	0600	10.0	68L		3
2300	ES412 E01	SW9	73	243	0600	10.0	68L		1
2301-2302	ES412 E02	SW9	73	247	0600	9.0	68L		2
2303-2304	ES412 E02	SW1200	73	249	0600	9.0	68L		2
2305-2306	ES412 E02	SW9	73	247	0600	9.0	68L		2
2307	ES412 E02	SW1200	73	249	0600	9.0	68L		1
2308	ES412 E02	SW9	74	247	0600	9.0	68L		1
2309-2311	ES412 E02	SW1200	74	249	0600	9.0	68L		3
2312-2316	ES412 E01	SW1200	74	248	0600	10.0	68L		5
2450-2462, 2464-2480	ES415 01	SW1500	67	254	1100	10.7	26L		30
2481-2492	ES415 C01	SW1500	68	260	1100	10.7	26L		12
2493-2510	ES415 02	SW1500	68	258	1100	10.7	26L		18

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
2511-2522	ES415 C02	SW1500	69	259	1100	10.7	26L		12
2523-2540, 2542-2552	ES415 03	SW1500	69	258	1100	10.7	26L		29
2553-2578	ES415 03	SW1500	70	258	1100	10.7	26L		26
2579-2582	ES415 C03	SW1500	70	259	1100	10.7	26L		4
2583-2590	ES415 C04	SW1500	71	259	1100	10.7	26L		8
2591-2612	ES415 04	SW1500	71	259	1100	10.7	26L		22
2613-2653	ES415 05	SW1500	72	260	1100	10.7	26L		41
2654-2667	ES415 L05	SW1500	72	260	1100	10.7	26L		14
2668-2679	ES415 05	SW1500	72	260	1100	10.7	26L		12
2680-2689	ES415 06	SW1500	73	260	1100	10.7	26L		10
2690-2696	ES415 07	MP15	74	261	1300	9.6	26L		7
2697-2701	ES415 07	MP15	75	261	1300	9.6	26L		5
2702-2722, 2724-2731	ES415 08	MP15AC	75	261	1400	9.3	26L		29
2732-2735	ES415T 09	MP15AC	75	261	1400	9.3	26L		4
2736-2759	ES415 08	MP15AC	75	261	1400	9.3	26L		24
2868, 2870	EF418 E02	GP9	73	253	1600	12.0	24RL	ST	2

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
2872	EF418 R4	GP9	77	250	1700	12.0	26L	ST	1
2873	EF418 R3	GP9	77	249	1600	12.0	24RL	ST	1
2874	EF418 E02	GP9	71	253	1600	12.0	24RL	ST	1
2875	EF418 R3	GP9	77	250	1600	12.0	24RL	ST	1
2876	EF418 08	GP9	59	250	1700	12.0	26L	ST	1
2877	EF418 07	GP9	57	250	1600	12.0	24RL	ST	1
2878-2879	EF418 08	GP9	59	250	1700	12.0	26L	ST	2
2880	EF418 09	GP9	59	248	1700	12.0	26L	ST	1
2882	EF418 08	GP9	59	250	1700	12.0	26L	ST	1
2884	EF418 E01	GP9	70	250	1600	12.0	24RL	ST	1
2885	EF418 E01	GP9	70	253	1600	12.0	24RL	ST	1
2887	EF418 E01	GP9	70	250	1600	12.0	24RL	ST	1
2888	EF418 08	GP9	59	250	1700	12.0	26L	ST	1
2889	EF418 08	GP9	59	249	1700	12.0	26L	ST	1
2890	EF418 09	GP9	59	248	1700	12.0	26L	ST	1
2892	EF418 E02	GP9	71	250	1600	12.0	24RL	ST	1

PAGE 6

UNIT NOS.	CLASS	BLORS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	OYN BRK	NO. UNITS
2893	ES418 08	GP9	59	250	1700	12.0	26L	ST	1
2894	EF418 08	GP9	59	250	1700	12.0	26L	ST	1
2897	ES418 E03	GP9	75	250	1600	12.0	24RL	ST	1
2898	ES418 E02	GP9	73	250	1600	12.0	24RL	ST	1
2899	ES418 E02	GP9	73	251	1600	12.0	24RL	ST	1
# 2961	ES620 E01	SD35	80	384	3000	9.5	26L	ET	1
# 2962-2963	ES620 R1	SD35	77	390	3000	9.5	26L	ET	2
# 2964	ES620 R1	SD35	79	390	3000	9.5	26L	ET	1
# 2965-2966	ES620 R1	SD35	77	390	3000	9.5	26L	ET	2
# 2967-2970	ES620 R1	SD35	78	390	3000	9.5	26L	ET	4
2971-2976	ES620T 01	SD38	73	416	4000	6.8	26L	EF	6
3100	GS425 E01	U25B	75	268	0000	12.0	26L	SF	1
3102-3103, 3105	ES625 E01	SD35	74	390	3000	9.5	26L	ET	3
3106-3109	ES625 01	SD35	65	390	3000	9.5	26L	ET	4
3186	EP418 E01	GP9	75	258	0800	12.0	24RL	ST	1

# UNITS WITH RERATED ENGINE HORSEPOWER

PAGE	UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3187		EP418 E01	GP9	75	257	0800	12.0	24RL	ST	1
3188		EP418 R1	GP9	77	258	1200	12.0	24RL	ST	1
3189-3190		EP418 R1	GP9	77	260	1100	12.0	24RL	ST	2
3191		EP418 R1	GP9	77	257	0800	12.0	24RL	ST	1
3192		EP418 R1	GP9	77	258	1200	12.0	24RL	ST	1
3193		EP418 R1	GP9	78	258	0800	12.0	24RL	ST	1
3194		EP418 R1	GP9	78	257	0800	12.0	24RL	ST	1
3195-3196		EP418 R1	GP9	79	260	1100	12.0	24RL	ST	2
3197-3199		EP430 01	GP40P2	74	280	1500	11.3	26L	EF	3
3200-3209		EP636 01	SDP45	67	410	2500	13.9	26L	ET	10
3301		EF418 E01	GP9	70	253	1600	12.0	24RL	ST	1
3303		EF418 E01	GP9	70	250	1600	12.0	24RL	ST	1
3305		EF418 E01	GP9	70	252	1600	12.0	24RL	ST	1
3307-3308		EF418 E01	GP9	70	253	1600	12.0	24RL	ST	2
3309, 3311		EF418 E01	GP9	70	250	1600	12.0	24RL	ST	2
3312		EF418 E01	GP9	70	253	1600	12.0	24RL	ST	1

UNIT NOS.	CLASS	BLORS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3314	EF418 E01	GP9	70	252	1600	12.0	24RL	ST	1
3316-3317	EF418 E01	GP9	70	253	1600	12.0	24RL	ST	2
3319	EF418 E01	GP9	70	252	1600	12.0	24RL	ST	1
3320	EF418 E01	GP9	70	250	1600	12.0	24RL	ST	1
3322-3323	EF418 E01	GP9	70	253	1600	12.0	24RL	ST	2
3324	EF418 E01	GP9	71	251	1600	12.0	24RL	ST	1
3325	EF418 E01	GP9	71	250	1600	12.0	24RL	ST	1
3327-3329, 3332	EF418 E02	GP9	71	250	1600	12.0	24RL	ST	4
3333	EF418 E02	GP9	71	253	1600	12.0	24RL	ST	1
3334-3336	EF418 E02	GP9	71	251	1600	12.0	24RL	ST	3
3338	EF418 E02	GP9	71	250	1600	12.0	24RL	ST	1
3339-3341	EF418 E02	GP9	71	251	1600	12.0	24RL	ST	3
3342-3345	EF418 E02	GP9	72	250	1600	12.0	24RL	ST	4
3347	EF418 E02	GP9	72	251	1600	12.0	24RL	ST	1
3348-3349	EF418 E02	GP9	72	250	1600	12.0	24RL	ST	2
3350	EF418 E02	GP9	72	253	1600	12.0	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3351-3352	EF418 E02	GP9	72	251	1600	12.0	24RL	ST	2
3353, 3355	EF418 E02	GP9	72	253	1600	12.0	24RL	ST	2
3356	EF418 E02	GP9	72	251	1600	12.0	24RL	ST	1
3357	EF418 E02	GP9	72	252	1600	12.0	24RL	ST	1
3358	EF418 E02	GP9	72	249	1600	12.0	24RL	ST	1
3359	EF418 E02	GP9	72	253	1600	12.0	24RL	ST	1
3360-3365	EF418 E02	GP9	72	250	1600	12.0	24RL	ST	6
3366	EF418 E02	GP9	72	251	1600	12.0	24RL	ST	1
3367	EF418 E02	GP9	72	253	1600	12.0	24RL	ST	1
3368	EF418 E02	GP9	72	250	1600	12.0	24RL	ST	1
3369	EF418 E02	GP9	72	251	1600	12.0	24RL	ST	1
3370	EF418 E02	GP9	72	253	1600	12.0	24RL	ST	1
3371	EF418 E02	GP9	72	250	1600	12.0	24RL	ST	1
3372	EF418 E02	GP9	72	253	1600	12.0	24RL	ST	1
3373	EF418 E02	GP9	72	250	1600	12.0	24RL	ST	1
3374	EF418 E02	GP9	73	250	1600	12.0	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3375	EF418 E02	GP9	73	253	1600	12.0	24RL	ST	1
3376-3380	EF418 E02	GP9	73	250	1600	12.0	24RL	ST	5
3382-3383	EF418 E02	GP9	73	253	1600	12.0	24RL	ST	2
3384	EF418 E02	GP9	73	251	1600	12.0	24RL	ST	1
3385	EF418 E02	GP9	73	250	1600	12.0	24RL	ST	1
3387-3389	EF418 E02	GP9	73	253	1600	12.0	24RL	ST	3
3392	EF418 E02	GP9	73	250	1600	12.0	24RL	ST	1
3394	EF418 E02	GP9	74	253	1600	12.0	24RL	ST	1
3395	EF418 E02	GP9	74	251	1600	12.0	24RL	ST	1
3396	EF418 E02	GP9	74	250	1600	12.0	24RL	ST	1
3397-3400	EF418 E02	GP9	74	251	1600	12.0	24RL	ST	4
3401	EF418 E02	GP9	74	250	1600	12.0	24RL	ST	1
3402-3404	EF418 E02	GP9	74	251	1600	12.0	24RL	ST	3
3405-3406	EF418 E02	GP9	74	250	1600	12.0	24RL	ST	2
3407	EF418 E02	GP9	74	253	1600	12.0	24RL	ST	1
3408	EF418 E02	GP9	74	250	1600	12.0	24RL	ST	1



UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3409-3410	EF418 E02	GP9	74	253	1600	12.0	24RL	ST	2
3411	EF418 E02	GP9	75	252	1600	12.0	24RL	ST	1
3412	EF418 E02	GP9	75	251	1600	12.0	24RL	ST	1
3413-3415	EF418 E02	GP9	75	250	1600	12.0	24RL	ST	3
3416	EF418 E02	GP9	75	251	1600	12.0	24RL	ST	1
3417	EF418 E02	GP9	75	250	1600	12.0	24RL	ST	1
3418	EF418 E02	GP9	75	251	1600	12.0	24RL	ST	1
3419	EF418 E02	GP9	75	250	1600	12.0	24RL	ST	1
3421	EF418 E02	GP9	75	251	1600	12.0	24RL	ST	1
3422	EF418 E02	GP9	75	250	1600	12.0	24RL	ST	1
3425-3426, 3428-3430	EF418 E02	GP9	76	250	1600	12.0	24RL	ST	5
3432-3437	EF418 E02	GP9	76	250	1600	12.0	24RL	ST	6
3438-3439	EF418 R2	GP9	77	250	1600	12.0	24RL	ST	2
3440	EF418 R2	GP9	77	253	1600	12.0	24RL	ST	1
3441	EF418 R2	GP9	79	251	1600	12.0	24RL	ST	1
3640	EF418 07	GP9	57	250	1600	12.0	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3648	EF418 C02	GP9	59	248	1700	12.0	26L	ST	1
3663	EF418 08	GP9	59	250	1700	12.0	26L	ST	1
3708-3709, 3712, 3727	EF418 09	GP9	59	248	1700	12.0	26L	ST	4
3730, 3732	EF418 E03	GP9	71	249	1600	12.0	24RL	ST	2
3733	EF418 E03	GP9	71	251	1600	12.0	24RL	ST	1
3734	EF418 E03	GP9	72	248	1600	12.0	24RL	ST	1
3735	EF418 E03	GP9	72	249	1600	12.0	24RL	ST	1
3736	EF418 E03	GP9	72	250	1600	12.0	24RL	ST	1
3737-3740, 3742	EF418 E03	GP9	72	249	1600	12.0	24RL	ST	5
3743-3744	EF418 E03	GP9	73	250	1600	12.0	24RL	ST	2
3745-3746	EF418 E03	GP9	73	249	1600	12.0	24RL	ST	2
3747-3748	EF418 E03	GP9	73	250	1600	12.0	24RL	ST	2
3749	EF418 E03	GP9	73	249	1600	12.0	24RL	ST	1
3750	EF418 E03	GP9	73	250	1600	12.0	24RL	ST	1
3751	EF418 E03	GP9	73	249	1600	12.0	24RL	ST	1
3753	EF418 E03	GP9	73	250	1600	12.0	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3754	EF418 E03	GP9	73	249	1600	12.0	24RL	ST	1
3755-3756	EF418 E03	GP9	73	250	1600	12.0	24RL	ST	2
3757	EF418 E03	GP9	73	249	1600	12.0	24RL	ST	1
3759	EF418 E03	GP9	74	249	1600	12.0	24RL	ST	1
3760-3761	EF418 E03	GP9	74	250	1600	12.0	24RL	ST	2
3762	EF418 E03	GP9	74	249	1600	12.0	24RL	ST	1
3763	EF418 E03	GP9	74	250	1600	12.0	24RL	ST	1
3764-3767	EF418 E03	GP9	74	249	1600	12.0	24RL	ST	4
3768-3770	EF418 E03	GP9	74	250	1600	12.0	24RL	ST	3
3771	EF418 E03	GP9	74	249	1600	12.0	24RL	ST	1
3772	EF418 E03	GP9	75	249	1600	12.0	24RL	ST	1
3773	EF418 E03	GP9	75	250	1600	12.0	24RL	ST	1
3774-3775	EF418 E03	GP9	75	249	1600	12.0	24RL	ST	2
3777	EF418 E03	GP9	75	250	1600	12.0	24RL	ST	1
3778	EF418 E03	GP9	75	249	1600	12.0	24RL	ST	1
3779	EF418 E03	GP9	75	250	1600	12.0	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3780	EF418 E03	GP9	75	249	1600	12.0	24RL	ST	1
3782-3783	EF418 E03	GP9	75	250	1600	12.0	24RL	ST	2
3784-3785	EF418 E03	GP9	76	249	1600	12.0	24RL	ST	2
3786	EF418 E03	GP9	76	250	1600	12.0	24RL	ST	1
3787-3789	EF418 E03	GP9	76	249	1600	12.0	24RL	ST	3
3790-3791	EF418 E03	GP9	76	250	1600	12.0	24RL	ST	2
3792	EF418 E03	GP9	76	249	1600	12.0	24RL	ST	1
3793	EF418 E03	GP9	76	250	1600	12.0	24RL	ST	1
3794	EF418 E03	GP9	76	249	1600	12.0	24RL	ST	1
3795-3796	EF418 E03	GP9	76	250	1600	12.0	24RL	ST	2
3797	EF418 E03	GP9	76	249	1600	12.0	24RL	ST	1
3800-3801	EF418 R3	GP9	77	250	1600	12.0	24RL	ST	2
3802	EF418 R3	GP9	77	249	1600	12.0	24RL	ST	1
3803-3804	EF418 R3	GP9	77	250	1600	12.0	24RL	ST	2
3805	EF418 R3	GP9	79	249	1600	12.0	24RL	ST	1
3808	EF418 S03	GP9	74	248	1700	12.0	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3809-3811	EF4 18 S03	GP9	75	248	1700	12.0	24RL	ST	3
3812	EF4 18 S03	GP9	76	248	1700	12.0	24RL	ST	1
3813	EF4 18 CR3	GP9	78	248	1700	12.0	24RL	ST	1
3816	EF4 18 E04	GP9	74	249	1700	12.0	26L	ST	1
3817	EF4 18 E04	GP9	74	250	1700	12.0	26L	ST	1
3818-3819, 3821	EF4 18 E04	GP9	75	250	1700	12.0	26L	ST	3
3822	EF4 18 E04	GP9	75	249	1700	12.0	26L	ST	1
3823-3824	EF4 18 E04	GP9	75	250	1700	12.0	26L	ST	2
3825-3839	EF4 18 E04	GP9	76	250	1700	12.0	26L	ST	15
3840	EF4 18 E04	GP9	76	249	1700	12.0	26L	ST	1
3841	EF4 18 E04	GP9	76	250	1700	12.0	26L	ST	1
3842-3843	EF4 18 E04	GP9	76	249	1700	12.0	26L	ST	2
3844	EF4 18 R4	GP9	77	250	1700	12.0	26L	ST	1
3845-3846	EF4 18 R4	GP9	77	249	1700	12.0	26L	ST	2
3848-3850	EF4 18 R4	GP9	77	250	1700	12.0	26L	ST	3
3851	EF4 18 R4	GP9	77	249	1700	12.0	26L	ST	1

UNIT NOS.	CLASS	8LDRS. MODEL	YR 8LT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
3852-3858	EF418 R4	GP9	77	250	1700	12.0	26L	ST	7
3859	EF418 R4	GP9	78	249	1700	12.0	26L	ST	1
3871	EF418 S04	GP9	75	248	1700	12.0	26L	ST	1
3872	EF418 S04	GP9	76	248	1700	12.0	26L	ST	1
3873-3874	EF418 CR4	GP9	77	248	1700	12.0	26L	ST	2
3877	EF418 E05	GP9	75	248	1700	12.0	26L	ST	1
3878-3879	EF418 E05	GP9	76	248	1700	12.0	26L	ST	2
3880, 3882-3884	EF418 R5	GP9	77	248	1700	12.0	26L	ST	4
3885	EF418 R5	GP9	78	248	1700	12.0	26L	ST	1
4060, 4063, 4079	EF420 01	GP20	62	257	2350	13.0	26L	ST	3
4085, 4087	EF420 02	GP20	62	259	2350	13.0	26L	ST	2
4100	EF420 E01	GP20	74	257	2350	13.0	26L	ST	1
4102-4104	EF420 E02	GP20	75	257	2350	13.0	26L	ST	3
4105	EF420 E02	GP20	76	259	2350	13.0	26L	ST	1
4106-4109	EF420 E02	GP20	76	257	2350	13.0	26L	ST	4
4111-4114	EF420 R2	GP20	77	257	2350	13.0	26L	ST	4

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
4115-4116	EF420 R2	GP20	75	257	2350	13.0	26L	ST	2
4117	EF420 R2	GP20	77	259	2350	13.0	26L	ST	1
4118	EF420 R2	GP20	77	257	2350	13.0	26L	ST	1
4119-4122	EF420 R2	GP20	78	257	2350	13.0	26L	ST	4
4124-4125	EF420 R2	GP20	79	257	2350	13.0	26L	ST	2
4134-4135	EF420 S01	GP20	74	260	2350	13.0	26L	ST	2
4137	EF420 S01	GP20	74	261	2350	13.0	26L	ST	1
4139-4141	EF420 S02	GP20	75	261	2350	13.0	26L	ST	3
4142	EF420 S02	GP20	75	260	2350	13.0	26L	ST	1
4143-4144	EF420 S02	GP20	76	261	2350	13.0	26L	ST	2
4146	EF420 CR2	GP20	77	261	2350	13.0	26L	ST	1
4147	EF420 CR2	GP20	77	260	2350	13.0	26L	ST	1
4148	EF420 CR2	GP20	77	261	2350	13.0	26L	ST	1
4149	EF420 CR2	GP20	77	260	2350	13.0	26L	ST	1
4150	EF420 CR2	GP20	79	261	2350	13.0	26L	ST	1
4151-4153	EF420 CR2	GP20	79	260	2350	13.0	26L	ST	3

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
# 4160	EF420 R3	GP35	79	263	2600	12.0	26L	ET	1
# 4200-4201	EF420 CR3	GP35	79	266	2600	12.0	26L	ET	2
# 4202	EF420 CR3	GP35	79	264	2600	12.0	26L	ET	1
# 4203	EF420 CR3	GP35	79	266	2600	12.0	26L	ET	1
4301	EF618 E01	SD9	70	328	2400	7.5	24RL	ST	1
4302	EF618 E01	SD9	70	358	2400	7.5	24RL	ST	1
4303-4306	EF618 E01	SD9	70	328	2400	7.5	24RL	ST	4
4307	EF618 E01	SD9	70	358	2400	7.5	24RL	ST	1
4308, 4310-4313	EF618 E01	SD9	70	328	2400	7.5	24RL	ST	5
4314	EF618 E01	SD9	70	358	2400	7.5	24RL	ST	1
4315-4316	EF618 E01	SD9	70	328	2400	7.5	24RL	ST	2
4317	EF618 E01	SD9	70	358	2400	7.5	24RL	ST	1
4318	EF618 E01	SD9	70	328	2400	7.5	24RL	ST	1
4319	EF618 E01	SD9	70	360	2400	7.5	24RL	ST	1
4320, 4322-4324	EF618 E01	SD9	70	328	2400	7.5	24RL	ST	4

# UNITS WITH RERATED ENGINE HORSEPOWER



UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
4325-4326	EF618 E01	SD9	71	328	2400	7.5	24RL	ST	2
4327-4328	EF618 E01	SD9	71	360	2400	7.5	24RL	ST	2
4329	EF618 E01	SD9	71	358	2400	7.5	24RL	ST	1
4330	EF618 E01	SD9	71	328	2400	7.5	24RL	ST	1
4331	EF618 E01	SD9	71	360	2400	7.5	24RL	ST	1
4332	EF618 E01	SD9	71	359	2400	7.5	24RL	ST	1
4333	EF618 E01	SD9	71	358	2400	7.5	24RL	ST	1
4334	EF618 E01	SD9	71	328	2400	7.5	24RL	ST	1
4335	EF618 E01	SD9	71	360	2400	7.5	24RL	ST	1
4336	EF618 E01	SD9	71	328	2400	7.5	24RL	ST	1
4337	EF618 E01	SD9	71	359	2400	7.5	24RL	ST	1
4338	EF618 E01	SD9	71	358	2400	7.5	24RL	ST	1
4339-4341	EF618 E01	SD9	71	360	2400	7.5	24RL	ST	3
4342-4351	EF618 E01	SD9	71	358	2400	7.5	24RL	ST	10
4352	EF618 E01	SD9	72	359	2400	7.5	24RL	ST	1
4353	EF618 E01	SD9	72	358	2400	7.5	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
4354-4356, 4358-4363	EF618 E01	SD9	72	359	2400	7.5	24RL	ST	9
4364-4365	EF618 E01	SD9	73	358	2400	7.5	24RL	ST	2
4366	EF618 E01	SD9	73	359	2400	7.5	24RL	ST	1
4367	EF618 E01	SD9	73	360	2400	7.5	24RL	ST	1
4368-4373	EF618 E01	SD9	73	358	2400	7.5	24RL	ST	6
4374-4376	EF618 E01	SD9	73	359	2400	7.5	24RL	ST	3
4377-4378	EF618 E01	SD9	74	358	2400	7.5	24RL	ST	2
4379	EF618 E01	SD9	74	328	2400	7.5	24RL	ST	1
4380-4381	EF618 E01	SD9	74	358	2400	7.5	24RL	ST	2
4382	EF618 E01	SD9	74	359	2400	7.5	24RL	ST	1
4383	EF618 E01	SD9	74	358	2400	7.5	24RL	ST	1
4384	EF618 E01	SD9	74	360	2400	7.5	24RL	ST	1
4385	EF618 E01	SD9	74	358	2400	7.5	24RL	ST	1
4386	EF618 E01	SD9	74	359	2400	7.5	24RL	ST	1
4387, 4389-4390	EF618 E01	SD9	74	358	2400	7.5	24RL	ST	3
4391	EF618 E01	SD9	74	359	2400	7.5	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
4392-4393	EF618 E01	SD9	74	328	2400	7.5	24RL	ST	2
4394-4396	EF618 E01	SD9	74	359	2400	7.5	24RL	ST	3
4397	EF618 E01	SD9	75	358	2400	7.5	24RL	ST	1
4398	EF618 E01	SD9	75	360	2400	7.5	24RL	ST	1
4399	EF618 E01	SD9	75	359	2400	7.5	24RL	ST	1
4400	EF618 E01	SD9	75	358	2400	7.5	24RL	ST	1
4401	EF618 E01	SD9	75	359	2400	7.5	24RL	ST	1
4402	EF618 E01	SD9	75	358	2400	7.5	24RL	ST	1
4403	EF618 E01	SD9	75	359	2400	7.5	24RL	ST	1
4404-4407	EF618 E01	SD9	75	358	2400	7.5	24RL	ST	4
4408	EF618 E01	SD9	75	360	2400	7.5	24RL	ST	1
4409	EF618 E01	SD9	76	360	2400	7.5	24RL	ST	1
4410	EF618 E01	SD9	76	359	2400	7.5	24RL	ST	1
4411-4412	EF618 E01	SD9	76	328	2400	7.5	24RL	ST	2
4413	EF618 E01	SD9	76	358	2400	7.5	24RL	ST	1
4414	EF618 E01	SD9	76	359	2400	7.5	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
4415	EF618 E01	SD9	76	358	2400	7.5	24RL	ST	1
4416-4417	EF618 E01	SD9	76	359	2400	7.5	24RL	ST	2
4418	EF618 E01	SD9	76	358	2400	7.5	24RL	ST	1
4419	EF618 E01	SD9	76	359	2400	7.5	24RL	ST	1
4420-4421	EF618 R1	SD9	77	359	2400	7.5	24RL	ST	2
4422	EF618 R1	SD9	77	358	2400	7.5	24RL	ST	1
4423	EF618 R1	SD9	77	359	2400	7.5	24RL	ST	1
4424-4425	EF618 R1	SD9	77	358	2400	7.5	24RL	ST	2
4426	EF618 R1	SD9	77	359	2400	7.5	24RL	ST	1
4427-4433	EF618 R1	SD9	77	358	2400	7.5	24RL	ST	7
4434	EF618 R1	SD9	78	358	2400	7.5	24RL	ST	1
4435	EF618 R1	SD9	78	359	2400	7.5	24RL	ST	1
4436-4438	EF618 R1	SD9	78	358	2400	7.5	24RL	ST	3
4439-4441	EF618 R1	SD9	80	358	2400	7.5	24RL	ST	3
4450	EF618 ED2	SD9	73	328	1200	7.5	24RL	ST	1
4451	EF618 E02	SD9	74	328	1200	7.5	24RL	ST	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
4800-4844	EF420 03	GP38-2	80	277	3600	7.8	26L	EF	45
5002-5007, 5009	EF423 C01	GP30	63	260	2600	12.0	26L	ST	7
5010-5013, 5015-5017	EF423 01	GP30	63	264	2600	12.0	26L	ST	7
5100-5114	GF423 1	B23-7	80	266	3150	7.8	26L	EF	15
5300, 5302, 5304, 5306	EF623 01	SD39	68	417	4000	7.5	26L	ET	4
5308-5310, 5314-5317	EF623 01	SD39	68	417	4000	7.5	26L	ET	7
5318	EF623 02	SD39	70	410	4000	7.5	26L	ET	1
5319-5325	EF623 L02	SD39	70	410	4000	7.5	26L	ET	7
6300	EF425 R1	GP35	77	264	2600	12.0	26L	ET	1
6302	EF425 K1	GP35	79	263	2600	12.0	26L	ET	1
6303	EF425 K1	GP35	78	264	2600	12.0	26L	ET	1
6304	EF425 K1	GP35	79	264	2600	12.0	26L	ET	1
6305	EF425 K1	GP35	78	263	2600	12.0	26L	ET	1
6306	EF425 K1	GP35	79	264	2600	12.0	26L	ET	1
6307	EF425 K1	GP35	78	264	2600	12.0	26L	ET	1
6308	EF425 K1	GP35	78	263	2600	12.0	26L	ET	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS	
6309	EF425	K1	GP35	78	264	2600	12.0	26L	ET	1
6310	EF425	K1	GP35	79	264	2600	12.0	26L	ET	1
6311	EF425	K1	GP35	78	263	2600	12.0	26L	ET	1
6312	EF425	K1	GP35	79	264	2600	12.0	26L	ET	1
6313	EF425	K1	GP35	78	264	2600	12.0	26L	ET	1
6314-6319	EF425	K1	GP35	79	264	2600	12.0	26L	ET	6
6320-6321	EF425	K1	GP35	78	263	2600	12.0	26L	ET	2
6322-6323	EF425	K1	GP35	79	264	2600	12.0	26L	ET	2
6324-6337	EF425	N1	GP35	79	263	2600	12.0	26L	ET	14
6338-6339	EF425	K1	GP35	79	264	2600	12.0	26L	ET	2
6340-6343	EF425	K1	GP35	79	263	2600	12.0	26L	ET	4
6344	EF425	K1	GP35	79	264	2600	12.0	26L	ET	1
6345-6347	EF425	N1	GP35	79	263	2600	12.0	26L	ET	3
6348-6352	EF425	N1	GP35	79	264	2600	12.0	26L	ET	5
6353	EF425	K1	GP35	79	264	2600	12.0	26L	ET	1
6354	EF425	K1	GP35	79	263	2600	12.0	26L	ET	1

UNIT NDS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	ND. UNITS
6355-6356	EF425 N1	GP35	79	263	2600	12.0	26L	ET	2
6357	EF425 N1	GP35	79	264	2600	12.0	26L	ET	1
6358	EF425 N1	GP35	79	263	2600	12.0	26L	ET	1
6359-6360	EF425 K1	GP35	79	263	2600	12.0	26L	ET	2
6361	EF425 K1	GP35	79	264	2600	12.0	26L	ET	1
6501-6503	EF425 C01	GP35	64	264	2600	12.0	26L	ET	3
6504-6505, 6507-6508	EF425 C02	GP35	64	266	2600	12.0	26L	ET	4
6511	EF425 C02	GP35	64	266	2600	12.0	26L	ET	1
6513-6514, 6516-6517	EF425 C02	GP35	65	266	2600	12.0	26L	ET	4
6519	EF425 C02	GP35	65	266	2600	12.0	26L	ET	1
6521-6523, 6526-6527	EF425 01	GP35	64	264	2600	12.0	26L	ET	5
6533, 6537-6538, 6543	EF425 01	GP35	64	264	2600	12.0	26L	ET	4
6544, 6547, 6551-6552	EF425 01	GP35	64	264	2600	12.0	26L	ET	4
6554-6556, 6563-6564	EF425 01	GP35	64	264	2600	12.0	26L	ET	5
6566, 6568, 6570, 6574	EF425 01	GP35	64	264	2600	12.0	26L	ET	4
6576	EF425 01	GP35	64	264	2600	12.0	26L	ET	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
6577, 6579, 6582, 6584	EF425 02	GP35	64	264	2600	12.0	26L	ET	4
6585, 6587-6590, 6593	EF425 02	GP35	64	264	2600	12.0	26L	ET	6
6595	EF425 02	GP35	64	264	2600	12.0	26L	ET	1
6597, 6600	EF425 03	GP35	64	263	2600	12.0	26L	ET	2
6604-6607, 6609, 6611	EF425 03	GP35	65	263	2600	12.0	26L	ET	6
6614-6615, 6617, 6619	EF425 03	GP35	65	263	2600	12.0	26L	ET	4
6620, 6622-6623	EF425 03	GP35	65	263	2600	12.0	26L	ET	3
6628, 6631-6632, 6639	EF425 04	GP35	65	263	2600	12.0	26L	ET	4
6640, 6643-6646, 6650	EF425 04	GP35	65	263	2600	12.0	26L	ET	6
6652-6653, 6657-6658	EF425 04	GP35	65	263	2600	12.0	26L	ET	4
6660-6662, 6666, 6668	EF425 04	GP35	65	263	2600	12.0	26L	ET	5
6669-6671, 6674, 6676	EF425 04	GP35	65	263	2600	12.0	26L	ET	5
6679	EF425 04	GP35	65	263	2600	12.0	26L	ET	1
6680-6681	EF425 C03	GP35	65	263	2600	12.0	26L	ET	2
7030-7033	SF428 01	TE70-4	78	280	2900	10.0	26L	SF	4
7200-7201	EF435M 01	GP40X	78	278	3500	10.4	26L	EF	2



UNIT NOS.	CLASS	BLDRS . MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	OYN BRK	NO. UNITS
7230-7231	EF435R 02	GP40X	78	278	3500	10.4	26L	EF	2
7240	EF430 L04	GP40-2	84	276	3600	11.3	26L	EF	1
7241-7242	EF430 L04	GP40-2	84	277	3600	11.3	26L	EF	2
7243	EF430 L04	GP40-2	84	280	3600	11.3	26L	EF	1
7244-7245	EF430 L04	GP40-2	84	277	3600	11.3	26L	EF	2
7246-7247	EF430 L04	GP40-2	84	276	3600	11.3	26L	EF	2
7248	EF430 W04	GP40-2	84	276	3600	11.3	26L	EF	1
7249-7250	EF430 W04	GP40-2	84	277	3600	11.3	26L	EF	2
7251-7252	EF430 W04	GP40-2	84	274	3600	11.3	26L	EF	2
7253	EF430 W04	GP40-2	84	277	3600	11.3	26L	EF	1
7254-7255	EF430 W04	GP40-2	84	275	3600	11.3	26L	EF	2
7256	EF430 W04	GP40-2	84	276	3600	11.3	26L	EF	1
7257	EF430 W04	GP40-2	84	274	3600	11.3	26L	EF	1
7258	EF430 W04	GP40-2	84	275	3600	11.3	26L	EF	1
7259-7260	EF430 W04	GP40-2	84	277	3600	11.3	26L	EF	2
7261	EF430 W04	GP40-2	84	278	3600	11.3	26L	EF	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
7262	EF430 W04	GP40-2	84	276	3600	11.3	26L	EF	1
7263-7265	EF430 W04	GP40-2	84	277	3600	11.3	26L	EF	3
7266	EF430 W04	GP40-2	84	278	3600	11.3	26L	EF	1
7267-7268	EF430 W04	GP40-2	84	275	3600	11.3	26L	EF	2
7269-7270	EF430 W04	GP40-2	84	276	3600	11.3	26L	EF	2
7271-7273	EF430 W04	GP40-2	84	277	3600	11.3	26L	EF	3
7300-7318	EF630 R1	SD40	80	394	4000	11.0	26L	EF	19
7319	EF630 R1	SD40	80	411	4000	11.0	26L	EF	1
7320-7326	EF630 R1	SD40	80	394	4000	11.0	26L	EF	7
7327	EF630 R1	SD40	80	411	4000	11.0	26L	EF	1
7328-7336	EF630 R1	SD40	80	394	4000	11.0	26L	EF	9
7337	EF630 R1	SD40	80	411	4000	11.0	26L	EF	1
7338-7343	EF630 R1	SD40	80	394	4000	11.0	26L	EF	6
7344-7346	EF630 R1	SD40	81	394	4000	11.0	26L	EF	3
7347	EF630 R1	SD40	81	411	4000	11.0	26L	EF	1
7348	EF630 R1	SD40	81	394	4000	11.0	26L	EF	1

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	OYN BRK	NO. UNITS
7349	EF630 R1	SD40	81	411	4000	11.0	26L	EF	1
7350	EF630 R1	SD40	81	394	4000	11.0	26L	EF	1
7351	EF630 R1	SD40	81	411	4000	11.0	26L	EF	1
7352-7363	EF630 R1	SD40	81	394	4000	11.0	26L	EF	12
7364	EF630 R1	SD40	81	411	4000	11.0	26L	EF	1
7365-7367	EF630 R1	SD40	81	394	4000	11.0	26L	EF	3
7368	EF630 R1	SD40	81	411	4000	11.0	26L	EF	1
7369-7373	EF630 R1	SD40	81	394	4000	11.0	26L	EF	5
7374	EF630 R1	SD40	81	411	4000	11.0	26L	EF	1
7375-7376	EF630 R1	SD40	81	394	4000	11.0	26L	EF	2
7377	EF630 R1	SD40	81	411	4000	11.0	26L	EF	1
7378-7385	EF630 R1	SD40	81	394	4000	11.0	26L	EF	8
# 7399	EF630 R2	SD44	81	383	4000	11.0	26L	EF	1
# 7400	EF632 R1	SD45	79	414	4000	11.0	26L	EF	1
# 7401	EF632 R1	SD45	81	414	4000	11.0	26L	EF	1

# UNITS WITH RERATED ENGINE HORSEPOWER

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
# 7402-7415	EF632	R1 SD45	81	403	4000	11.0	26L	EF	14
# 7416-7421	EF632	R1 SD45	81	412	4000	11.0	26L	EF	6
# 7422-7428	EF632	R1 SD45	82	412	4000	11.0	26L	EF	7
# 7429	EF632	R1 SD45	82	414	4000	11.0	26L	EF	1
# 7430	EF632	R1 SD45	82	412	4000	11.0	26L	EF	1
# 7431	EF632	R1 SD45	82	414	4000	11.0	26L	EF	1
# 7432-7433	EF632	R1 SD45	82	412	4000	11.0	26L	EF	2
# 7434-7436	EF632	R1 SD45	82	414	4000	11.0	26L	EF	3
# 7437	EF632	R1 SD45	82	412	4000	11.0	26L	EF	1
# 7438-7439	EF632	R1 SD45	82	414	4000	11.0	26L	EF	2
# 7440-7456	EF632	R1 SD45	82	412	4000	11.0	26L	EF	17
# 7457-7459	EF632	R1 SD45	82	414	4000	11.0	26L	EF	3
# 7460	EF632	R1 SD45	82	412	4000	11.0	26L	EF	1
# 7461	EF632	R1 SD45	82	414	4000	11.0	26L	EF	1
# 7462-7464	EF632	R1 SD45	82	403	4000	11.0	26L	EF	3

# UNITS WITH RERATED ENGINE HORSEPOWER

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
# 7465-7471	EF632 R1	SD45	83	412	4000	11.0	26L	EF	7
# 7472	EF632 R1	SD45	83	410	4000	11.0	26L	EF	1
# 7473-7474	EF632 R1	SD45	83	412	4000	11.0	26L	EF	2
# 7475	EF632 R1	SD45	83	410	4000	11.0	26L	EF	1
# 7476	EF632 R1	SD45	83	412	4000	11.0	26L	EF	1
# 7477-7486	EF632 R1	SD45	83	410	4000	7.7	26L	EF	10
# 7487-7488	EF632 R1	SD45	83	409	4000	7.7	26L	EF	2
# 7489-7493	EF632 LR1	SD45-2	84	409	4000	7.7	26L	EF	5
# 7494	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	1
# 7495	EF632 LR1	SD45-2	84	414	4000	11.0	26L	EF	1
# 7496	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	1
# 7497	EF632 LR1	SD45-2	84	414	4000	11.0	26L	EF	1
# 7498	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	1
# 7499	EF632 LR1	SD45-2	84	410	4000	11.0	26L	EF	1
# 7500	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	1

# UNITS WITH RERATED ENGINE HORSEPOWER

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
# 7501-7502	EF632 LR1	SD45-2	84	410	4000	11.0	26L	EF	2
# 7503-7504	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	2
# 7505	EF632 LR1	SD45-2	84	410	4000	11.0	26L	EF	1
# 7506	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	1
# 7507	EF632 LR1	SD45-2	84	414	4000	11.0	26L	EF	1
# 7508	EF632 LR1	SD45-2	84	410	4000	11.0	26L	EF	1
# 7509-7514	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	6
# 7515-7516	EF632 LR1	SD45-2	84	410	4000	11.0	26L	EF	2
# 7517-7520	EF632 LR1	SD45-2	84	412	4000	11.0	26L	EF	4
# 7521	EF632 LR1	SD45-2	84	410	4000	11.0	26L	EF	1
# 7522-7523	EF632 LR1	SD45-2	84	410	4000	7.7	26L	EF	2
# 7524	EF632 LR1	SD45-2	84	409	4000	7.7	26L	EF	1
# 7525	EF632 LR1	SD45-2	84	410	4000	7.7	26L	EF	1
# 7526-7527	EF632 LR1	SD45-2	84	409	4000	7.7	26L	EF	2
# 7528-7535	EF632 LR1	SD45-2	84	410	4000	7.7	26L	EF	8

# UNITS WITH RELATED ENGINE HORSEPOWER

	UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
# 7538		EF632 LR1	SD45-2	84	409	4000	7.7	26L	EF	1
	7608-7611, 7613-7627	EF430 01	GP40-2	78	275	3500	11.3	26L	EF	19
	7628-7642, 7644-7645	EF430 C02	GP40-2	79	277	3600	11.3	26L	EF	17
	7647-7657	EF430 C02	GP40-2	79	277	3600	11.3	26L	EF	11
	7658-7677	EF430 03	GP40-2	80	276	3600	11.3	26L	EF	20
	7754	GF437 L02	B36-7	84	279	3500	7.8	26L	EF	1
	7755	GF437 L02	B36-7	84	280	3500	7.8	26L	EF	1
	7756	GF437 L02	B36-7	84	281	3500	7.8	26L	EF	1
	7757-7758	GF437 L02	B36-7	84	280	3500	7.8	26L	EF	2
	7759	GF437 L02	B36-7	84	283	3500	7.8	26L	EF	1
	7760-7762	GF437 L02	B36-7	84	280	3500	7.8	26L	EF	3
	7763	GF437 L02	B36-7	84	281	3500	7.8	26L	EF	1
	7764	GF437 L02	B36-7	84	280	3500	7.8	26L	EF	1
	7765	GF437 L02	B36-7	84	279	3500	7.8	26L	EF	1
	7766	GF437 L02	B36-7	84	280	3500	7.8	26L	EF	1

# UNITS WITH RERATED ENGINE HORSEPOWER

UNIT NOS.	CLASS	BLORS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	OYN BRK	NO. UNITS
7767	GF437 L02	B36-7	84	278	3500	7.8	26L	EF	1
7768	GF437 L02	B36-7	84	280	3500	7.8	26L	EF	1
7769	GF437 L02	B36-7	84	279	3500	7.8	26L	EF	1
777D	GF437 C01	B30-7	80	280	3150	7.8	26L	EF	1
7771	GF437BC01	B30B7	80	280	3150	7.8	26L	EF	1
7772-7799	GF430 C01	B30-7	80	280	3150	7.8	26L	EF	28
7801-7803	GF430 01	B30-7	78	276	3150	7.8	26L	EF	3
7804-7809, 7811-7823	GF430 02	B30-7	78	277	3150	7.8	26L	EF	19
7824-7883	GF430 03	B30-7	79	276	3150	7.8	26L	EF	60
794D-7956, 7958-7959	EF430T 02	GP40-2	80	278	3600	11.3	26L	EF	19
7960-7962	EF430TCR1	GP40	82	278	3200	11.0	26L	EF	3
7963	EF430TCR1	GP40	82	277	3200	11.0	26L	EF	1
7964-7966	EF430TCR1	GP40	82	278	3200	11.0	26L	EF	3
7967	EF430TCR1	GP40	82	277	3200	11.0	26L	EF	1
8230-8299	EF630 11	SD40-2	80	391	4400	11.1	26L	EF	70
8300-8301, 8303-8306	EF630M 03	SD40-2	74	408	4300	7.2	26L	EF	6



UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
8307-8321	EF630M 06	SD40-2	78	410	4300	7.8	26L	EF	15
8322-8326	EF630MC01	SD40-2	78	409	4300	7.8	26L	EF	5
8327-8341	EF630M 09	SD40-2	79	393	4300	11.1	26L	EF	15
8350-8356	EF630R 04	SD40-2	74	408	4300	7.2	26L	EF	7
8357-8371	EF630R 07	SD40-2	78	410	4300	7.8	26L	EF	15
8372-8376	EF630RC02	SD40-2	78	409	4300	7.8	26L	EF	5
8377	EF630R 10	SD40-2	79	393	4300	11.1	26L	EF	1
8378-8382	EF630R 10	SD40-2	79	393	4400	11.1	26L	EF	5
8383-8391	EF630R 10	SD40-2	79	393	4300	11.1	26L	EF	9
8489-8498	EF630 05	SD40-2	78	410	4300	7.8	26L	EF	10
8499-8533	EF630 08	SD40-2	78	392	4400	11.1	26L	EF	35
8534-8573	EF630 08	SD40-2	79	392	4400	11.1	26L	EF	40
8585-8586, 8588-8599	GF633 10	U33C	75	411	4000	7.8	26L	EF	14
8647-8655, 8658-8659	GF633 03	U33C	70	416	4000	7.8	26L	ET	11
8661-8685, 8687	GF633 03	U33C	70	416	4000	7.8	26L	ET	26
8688-8690, 8692-8693	GF633 04	U33C	71	417	4000	7.8	26L	EF	5

UNIT NOS.	CLASS	GLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	GRK SCH	DYN GRK	NO. UNITS	
8695-8713	GF633	04	U33C	71	417	4000	7.8	26L	EF	19
8714-8717, 8719-8727	GF633	04	U33C	72	417	4000	7.8	26L	EF	13
8728-8733, 8735-8737	GF633	05	U33C	72	413	4000	7.8	26L	EF	9
8738-8767	GF633	06	U33C	72	413	4000	7.8	26L	EF	30
8768-8777	GF633	07	U33C	73	413	4000	7.8	26L	EF	10
8778-8782, 8784-8785	GF633	08	U33C	73	413	4000	7.8	26L	EF	7
8786-8796	GF633	09	U33C	74	413	4000	7.8	26L	EF	11
8815-8816, 8818, 8822	EF636	01	SD45	66	414	4000	11.0	26L	ET	4
8824, 8827, 8830, 8840	EF636	01	SD45	66	414	4000	11.0	26L	ET	4
8841, 8844	EF636	01	SD45	66	414	4000	11.0	26L	ET	2
8859, 8864, 8871-8872	EF636	02	SD45	67	412	4000	11.0	26L	ET	4
8874, 8887, 8889, 8893	EF636	02	SD45	67	412	4000	11.0	26L	ET	4
8897-8898, 8900, 8904	EF636	02	SD45	67	412	4000	11.0	26L	ET	4
8909-8910, 8925, 8927	EF636	02	SD45	67	412	4000	11.0	26L	ET	4
8933	EF636	02	SD45	67	412	4000	11.0	26L	ET	1
8935-8937, 8939, 8941	EF636	03	SD45	68	410	4000	11.0	26L	ET	5

UNIT NOS.	CLASS	BLORS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	OYN BRK	NO. UNITS
8942, 8944, 8947, 8951	EF636 03	SD45	68	410	4000	11.0	26L	ET	4
8952-8953, 8955-8956	EF636 03	SD45	68	410	4000	11.0	26L	ET	4
8958-8962	EF636 03	SD45	68	410	4000	11.0	26L	ET	5
8965, 8968-8969, 8973	EF636 C01	SD45	68	410	4000	11.0	26L	ET	4
8974-8975, 8978, 8981	EF636 C01	SD45	68	410	4000	11.0	26L	ET	4
8984, 8988, 8990-8991	EF636 04	SD45	69	410	4000	7.7	26L	ET	4
8992	EF636 14	SD45	67	412	4000	11.0	26L	ET	1
8993-8994, 8996-8997	EF636 04	SD45	69	410	4000	7.7	26L	ET	4
9000, 9002, 9007, 9013	EF636 04	SD45	69	410	4000	7.7	26L	ET	4
9014-9017, 9019-9021	EF636 04	SD45	69	410	4000	7.7	26L	ET	7
9023-9027, 9030-9031	EF636 04	SD45	69	410	4000	7.7	26L	ET	7
9034, 9036-9037	EF636 04	SD45	69	410	4000	7.7	26L	ET	3
# 9040	EF632 04	SD45	69	410	4000	7.7	26L	ET	1
9041-9043, 9046-9049	EF636 04	SD45	69	410	4000	7.7	26L	ET	7
9052-9053, 9055	EF636 C03	SD45	69	409	4000	7.7	26L	ET	3

# UNITS WITH REBATED ENGINE HORSEPOWER

	UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
#	9058	EF632 C03	SD45	69	409	4000	7.7	26L	ET	1
	9059	EF636 C03	SD45	69	409	4000	7.7	26L	ET	1
	9060	EF636 C02	SD45	68	404	4000	7.7	26L	ET	1
#	9065	EF632 C02	SD45	68	404	4000	7.7	26L	ET	1
	9066-9068	EF636 C02	SD45	68	404	4000	7.7	26L	ET	3
	9069, 9071-9072, 9074	EF636 05	SD45	69	409	4000	7.7	26L	ET	4
	9075, 9077, 9079	EF636 05	SD45	69	409	4000	7.7	26L	ET	3
#	9080	EF632 05	SD45	69	409	4000	7.7	26L	ET	1
	9081-9083, 9085-9088	EF636 05	SD45	69	409	4000	7.7	26L	ET	7
#	9089	EF632 05	SD45	69	409	4000	7.7	26L	ET	1
	9090, 9092-9094	EF636 05	SD45	69	409	4000	7.7	26L	ET	4
#	9095	EF632 05	SD45	69	409	4000	7.7	26L	ET	1
	9096-9100	EF636 05	SD45	69	409	4000	7.7	26L	ET	5
#	9101	EF632 05	SD45	69	409	4000	7.7	26L	ET	1
	9104-9105, 9107-9108	EF636 06	SD45	69	409	4000	7.7	26L	ET	4

# UNITS WITH RERATED ENGINE HORSEPOWER

	UNIT NOS.	CLASS	GLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
#	9109-9110	EF632 06	SD45	69	409	4000	7.7	26L	ET	2
	9112-9113,9115-9116	EF636 06	SD45	69	409	4000	7.7	26L	ET	4
	9120	EF636 06	SD45	69	409	4000	7.7	26L	ET	1
#	9121	EF632 06	SD45	69	409	4000	7.7	26L	ET	1
	9123	EF636 06	SD45	70	409	4000	7.7	26L	ET	1
#	9124	EF632 06	SD45	69	409	4000	7.7	26L	ET	1
	9125	EF636 06	SD45	69	409	4000	7.7	26L	ET	1
	9127-9129	EF636 06	SD45	70	409	4000	7.7	26L	ET	3
#	9130	EF632 06	SD45	70	409	4000	7.7	26L	ET	1
	9132	EF636 06	SD45	70	409	4000	7.7	26L	ET	1
#	9135	EF632 06	SD45	70	409	4000	7.7	26L	ET	1
	9137	EF636 06	SD45	70	409	4000	7.7	26L	ET	1
#	9138	EF632 06	SD45	70	409	4000	7.7	26L	ET	1
	9139	EF636 06	SD45	70	409	4000	7.7	26L	ET	1
	9140-9151	EF636 L06	SD45	70	409	4000	7.7	26L	ET	12

# UNITS WITH RERATED ENGINE HORSEPOWER

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
# 9154-9155	EF632 C04	SD45	70	409	4000	7.7	26L	ET	2
9157-9165	EF636 C08	SD45-2	72	411	4400	7.2	26L	EF	9
9166	EF636 07	SD45-2	72	410	4400	7.2	26L	EF	1
# 9167	EF632 07	SD45-2	72	410	4400	7.2	26L	EF	1
9168-9173, 9175-9204	EF636 07	SD45-2	72	410	4400	7.2	26L	EF	36
9206-9219	EF636 07	SD45-2	72	410	4400	7.2	26L	EF	14
9221-9240	EF636 08	SD45-2	72	411	4400	7.2	26L	EF	20
9241-9260	EF636 09	SD45-2	72	411	4400	7.2	26L	EF	20
9261-9262	EF636 C07	SD45-2	73	410	4400	7.2	26L	EF	2
# 9263	EF632 C07	SD45-2	73	410	4400	7.2	26L	EF	1
9264-9281	EF636 C07	SD45-2	73	410	4400	7.2	26L	EF	18
9282-9301	EF636 C08	SD45-2	73	410	4400	7.2	26L	EF	20
9302-9313	EF636 10	SD45-2	73	411	4400	7.2	26L	EF	12
9314	EF636 11	SD45-2	72	410	4400	7.2	26L	EF	1
9315-9343	EF636 12	SD45-2	74	410	4300	7.2	26L	EF	29

# UNITS WITH RERATED ENGINE HORSEPOWER

PAGE 41

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
9344-9353, 9355-9370	EF636 15	SD45-2	75	4 11	4300	7.2	26L	EF	26
9371-9378, 9380-9404	EF636 C09	SD45-2	75	4 11	4300	7.2	26L	EF	33

PAGE 42

\*\* OTHER UNITS USED BY SP CO. \*\*

UNIT NOS.	CLASS	BLDRS. MODEL	YR BLT	WGT	FUEL CAPY	MIN. CONT SPEED	BRK SCH	DYN BRK	NO. UNITS
0100	ES406A 01	SW1	52	200	0600	10.0	6BL		1
0200	ES406A 02	SW1	53	200	0600	10.0	6BL		1





N O T E S



\* \* \*

N O T E S

\* \* \*





